

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

ORDER R5-2020-XXXX

RESCINDING WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Board adopted the following Order which is no longer applicable for the reasons shown:

BARREL TEN QUARTER CIRCLE LAND COMPANY, BARREL TEN QUARTER CIRCLE, ESCALON CELLARS, SAN JOAQUIN COUNTY

Waste Discharge Requirements (WDRs) Order R5-2009-0038, adopted on 24 April 2009, prescribes requirements for the discharge of wastewater and residual solids from an existing winery to land in Escalon, California. The facility has expanded the land application areas, which need to be included in a revised Order. Central Valley Water Board staff determined that the facility shall continue to be regulated under individual waste discharge requirements, with updates to include the new land application areas. Revised WDRs, Order R5-2020-XXXX were adopted by the Central Valley Water Board on XX April 2020 for Barrel Ten Quarter Circle Land. Therefore, it is appropriate to rescind WDRs Order R5-2009-0038.

IT IS HEREBY ORDERED that the above Order is to be rescinded.

I, Patrick Pulupa, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on XX April 2020.

PATRICK PULUPA, Executive Officer